

Trigeminal Neuralgia - Diagnostic Questionnaire

Тройничная невралгия – диагностический вопросник

Diagnostic Questions

Here at OHSU's Department of Neurological Surgery we have developed a helpful questionnaire for the diagnosis and treatment of patients suffering from various types of trigeminal neuralgia.

1. Do you have facial pain?
2. Do you remember exactly where you were the moment your facial pain started?
3. When you have pain, is it predominantly in your face (i.e., forehead, eye, cheek, nose, upper/lower jaw, teeth, lips, etc)?
4. Do you have pain just on one side of your face?
5. When you have pain, is it predominantly deep in your ear?
6. When you have pain, is it predominantly in the back of your throat or tongue, near the area of your tonsil?
7. Is your pain either entirely or mostly brief (seconds to minutes) and unpredictable sensations (electrical, shocking, stabbing, shooting)?
8. Do you have any constant background facial pain (e.g., aching, burning, throbbing, stinging)?
9. Do you have constant background facial pain (aching, burning, throbbing, stinging) for more than half of your waking hours?
10. Do you have any constant facial numbness?
11. Can your pain start by something touching your face (for example, by eating, washing your face, shaving, brushing teeth, wind)?
12. Since your pain began have you ever experienced periods of weeks, months, or years, when you were pain-free? (This would not include periods after any pain-relieving surgery or while you were on medications for your pain.)
13. Have you ever taken Tegretol® (carbamazepine), Neurontin® (gabapentin), Lioresal® (baclofen), Trileptal® (oxcarbazepine), Topamax® (topiramate), Zonegran® (zonisamide), or any other anticonvulsant medication for your pain?
14. Did you ever experience any major reduction in facial pain (partial or complete) from taking any of the medications listed in Question 13, or any anticonvulsant medication?
15. Have you ever had trigeminal nerve surgery for your pain? (e.g., neurectomy, RF rhizotomy/gangliolysis, glycerol injection, balloon compression, rhizotomy, MVD, gamma knife)
16. Have you ever experienced any major reduction in facial pain (partial or complete) from trigeminal nerve surgery for your pain? (e.g., neurectomy, RF rhizotomy/gangliolysis, glycerol injection, balloon compression, rhizotomy, MVD, gamma knife)
17. Did your current pain start only after trigeminal nerve surgery (neurectomy, RF rhizotomy/gangliolysis, glycerol injection, balloon compression, rhizotomy, MVD, gamma knife)? (If this is a recurrence of your original pain after a successful trigeminal nerve surgery, answer "no")
18. Did your pain start after facial zoster or "shingles" rash (Herpes zoster - not to be confused with "fever blisters" around the mouth)?
19. Do you have multiple sclerosis?
20. Did your pain start after a facial injury?
21. Did your pain start only after facial surgery (oral surgery, ENT surgery, plastic surgery)?
22. When you place your index finger right in front of your ears on both sides at once and feel your jaw open and close does the area under your fingers on either side hurt?

Диагностические вопросы

На кафедре нейрохирургии Орегонского Медицинского института мы разработали полезный вопросник для диагностики и лечения больных с разными формами тройничной невралгии.

1. Болит ли у Вас лицо?
2. Хорошо ли Вы помните тот момент, когда у Вас впервые возникла боль в лице?
3. Когда Вы испытываете боль, вовлекает ли она в основном Ваше лицо (лоб, веки, щеку, нос, верхнюю и нижнюю челюсти, зубы, губы)?
4. У Вас болит только одна сторона лица?
5. Когда Вы испытываете боль, вовлекает ли она в основном Ваше ухо?
6. Когда Вы испытываете боль, вовлекает ли она в основном Ваше горло, язык или глотку?
7. Является ли Ваша боль в основном краткосрочным (от секунд до минут) и непредсказуемым ощущением (электрическая, стреляющая, колющая)?
8. Есть ли у Вас постоянная лицевая боль (тупая, жгучая, пульсирующая)?
9. Есть ли у Вас постоянная лицевая боль (тупая, жгучая, пульсирующая), которая длится более половины времени Вашего бодрствования?
10. Есть ли у Вас постоянное онемение в лице?
11. Может ли Ваша боль начинаться с прикосновения к Вашему лицу (как, например, при еде, умывании, бритье, чистке зубов, дуновении ветра)?
12. С того момента, как у Вас началась боль, были ли у Вас периоды без боли (длившиеся недели, месяцы или годы)? (Не включая того времени, когда боль контролировалась лекарствами или операциями.)
13. Принимали ли Вы когда-нибудь Финлепсин, Тегретол, Карбамазепин, Нейронтин, Габапентин, Баклофен, Трилептал, Топамакс, Зонегран или другие противо-эпилептические лекарства для купирования боли?
14. Испытывали ли Вы значительное улучшение (частичное или полное) Вашей боли после приема тех лекарств, которые упомянуты в 13 вопросе, или других антиконвульсантов?
15. Делали ли Вам когда-либо хирургическую операцию на тройничном нерве для лечения боли? (т.е., неврэктомию, ризотомию, введение глицерина, компрессию баллоном, микроваскулярную декомпрессию, облучение гамма ножом, и т.д.)
16. Испытывали ли Вы значительное улучшение (частичное или полное) Вашей боли после операции на тройничном нерве? (т.е., неврэктомию, ризотомию, микроваскулярной декомпрессии, гамма ножа и т.д.)
17. Началась ли Ваша нынешняя боль только после операции на тройничном нерве (т.е., неврэктомию, ризотомию, микроваскулярной декомпрессии, гамма ножа, и т.д.)? (Если Ваша первоначальная боль вернулась после успешной операции, ответьте «нет»)
18. Началась ли Ваша боль после герпетической инфекции или сыпи от опоясывающего лишая (имеется в виду герпес зостер – не путать с обычным лицевым герпесом, т.е., «лихорадкой» вокруг рта)?
19. Страдаете ли Вы рассеянным склерозом?
20. Началась ли Ваша боль после травмы лица?
21. Началась ли Ваша боль после операции на лице (на полости рта, ЛОР, косметической хирургии)?
22. Вызывает ли боль одновременное двустороннее нажатие указательными пальцами непосредственно перед ушами при открывании и закрывании рта?